

Reference #: **916270**
Practice #: 10171

Radiography Date: 1/29/2015
Date Received: 1/30/2015

PennHIP Member:
DR. BYRON RUCKER
WINCHESTER PET CARE
15070 W 116TH ST.
OLATHE, KS 66062
UNITED STATES

Owner:
JOHN/SANDRA MUSTAIN
12300 E, BROOKFIELD DR.
PECULIAR, MO 64078
UNITED STATES

ANIMAL			
ABI			Reg. #:
CANINE / SMALL MUNSTERLANDER			Microchip: 985170001246310
Date of Birth: 4/12/2013	Sex: F	Weight: 45 lbs.	Age: 21 mo.
			Tattoo:

RESULTS			
LEFT	Distraction Index (DI)	0.22	DI is less than or equal to 0.30, with no radiographic evidence of DJD.
	Degenerative Joint Disease (DJD)	None	
	Cavitation	No	
	Other Findings	Not Applicable	
RIGHT	Distraction Index (DI)	0.20	DI is less than or equal to 0.30, with no radiographic evidence of DJD.
	Degenerative Joint Disease (DJD)	None	
	Cavitation	No	
	Other Findings	Not Applicable	

Please note that the PennHIP DI is a measure of hip joint laxity, it does not allude to a "passing" or "failing" hip score.

LAXITY PROFILE RANKING										
The laxity profile ranking is based on the hip with the greater laxity (DI). This interpretation is based on a cross-section of 215 CANINE animals of the SMALL MUNSTERLANDER breed. The median DI for this group is 0.38.										
Percentiles										
	90th	80th	70th	60th	50th	40th	30th	20th	10th	
> 90th					Median					< 10th
↑										
The chart above indicates the ranking of your animal's passive hip laxity (DI) in relation to all CANINE animals of the SMALL MUNSTERLANDER breed in our database. This result means that 1) your animal's hips are tighter than over 90% of the animals in this group, and 2) your animal's hip laxity is in the tighter half of the laxity profile. Breed-specific evaluations are analyzed semi-annually. Consequently, the average laxity and range of laxity for any given group will change over time.										

PennHIP does not make specific breeding recommendations. Selection of sire and dam for mating is the decision of the breeder.
NOTE: As a minimum breeding criterion, we propose that breeding stock be selected from the population of animals having hip laxity in the tighter half of the breed (to the left of the median mark on the graph). Higher selection pressure equates to more rapid expected genetic change per generation.

By implementing selection based on passive hip laxity, we expect the breed average DI over the years to move toward tighter hip configuration, meaning lower hip dysplasia susceptibility. The PennHIP database permits scientific adjustment of criteria to reflect these shifts; the average laxity and range of laxity for a particular breed will change over time.



RADIOGRAPH EVALUATION COMMENTS

Comments for Dr. Rucker only:

We noted that on the original study it was marked that the Left hip was cavitated. In reviewing it, it was actually the Right hip that had the cavitation bubbles present. We apologize for the error. We will amend and resend the original report for your records. There is no cavitation present on the repeat.
Thank you for repeating.